

# Product catalogue 2025



**LEADER FOX**

A close-up photograph of a Shimano electric motor mounted on a teal bicycle frame. The motor is black and features the Shimano logo. The frame is a vibrant teal color. The background is blurred, showing a white surface and a portion of a black tire. White geometric lines are overlaid on the image, pointing towards the motor and the frame.

# New electric bikes with SHIMANO motors

SHIMANO

# Mountain electric bikes




# Creek

**LEADER FOX**



SHIMANO EP600, 85Nm,

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**


FOX PERFORMACE 34 FLOAT, TRAVEL: 130mm

 **Fork**

FOX PERFORMANCE FLOAT, REAR STRUCTURE LIFT: 135mm

 **R. shock**


SHIMANO 38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, Di2, 11 SPEED

 **Shifting**

SHIMANO SLX

 **Brake**


180 / 203mm

 **Rotors**

MAXXIS RECON RACE 29x2,6"

 **Tires**

25KG


 **Weight**

# Arran 27,5"

**LEADER FOX**




PANASONIC GX ULTIMATE, 95Nm

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16", 17,5", 19,5"

 **Frame**


MANITOU MARKHOR AIR, TRAVEL: 100mm

 **Fork**

MANITOU MARA, 190X45 AIR, REAR STRUCTURE LIFT: 135mm

 **R. shock**


38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**


180 / 203mm

 **Rotors**

MAXXIS RECON RACE 27,5x2,6"


 **Tires**

28KG


 **Weight**

# Arran 29"

**LEADER FOX**



PANASONIC GX ULTIMATE, 95Nm

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**


MANITOU MARKHOR AIR TRAVEL: 100mm

 **Fork**


MANITOU MARA, 190X45 AIR, REAR STRUCTURE LIFT: 135mm

 **R. shock**


38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**


180 / 203mm

 **Rotors**

MAXXIS RECON RACE 29x2,6"

 **Tires**

28KG


 **Weight**

# Axen

**LEADER FOX**




PANASONIC GX ULTIMATE, 95Nm

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**


MANITOU MARA, 190X45 AIR, REAR STRUCTURE LIFT: 135mm

 **R. shock**


38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**


180 / 203mm

 **Rotors**

MAXXIS RECON RACE 29x2,25"

 **Tires**

29KG

 **Weight**

# Mountain bikes






# Evolution 27,5"

**LEADER FOX**



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16", 18", 20"



Frame

SPRING, TRAVEL: 100mm



Fork

PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm



Chainwheel

SHIMANO ALTUS, 2X8 SPEED



Shifting

SHIMANO MT200



Brake

160 / 160mm



Rotors

CST 27,5X2,35"



Tires

15KG



Weight



# Evolution 29"

**LEADER FOX**



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16", 18", 20"

SPRING, TRAVEL: 100mm

PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm









SHIMANO ALTUS, 2X8 SPEED

SHIMANO MT200

160 / 160mm

CST 29X2,35"

15KG

-  **Frame**
-  **Fork**
-  **Chainwheel**
-  **Shifting**
-  **Brake**
-  **Rotors**
-  **Tires**
-  **Weight**



# City and trekking electric bikes




# Grass Gent

**LEADER FOX**




SHIMANO EP600, 85Nm

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**


ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**


38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, Di2, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 203mm

 **Rotors**


SCALATO RUVIDO 28X2,25

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

28KG


 **Weight**

# Grass Lady

**LEADER FOX**




SHIMANO EP600, 85Nm

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**


ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**


38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, Di2, 10 SPEED

 **Shifting**


SHIMANO CUES

 **Brake**


180 / 203mm

 **Rotors**


SCALATO RUVIDO 28X2,25

 **Tires**

EXERACE LED, 100LUX, 12-48V


 **Light**

28KG

 **Weight**

# Octavus Lady

**LEADER FOX**



- SHIMANO EP500, 60Nm  **Motor**
- LG 36V/17,5Ah, 630Wh  **Battery**
- ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16,5" , 18" , 20"  **Frame**
- AIR, TRAVEL: 120mm  **Fork**
- SHIMANO, NEXUS, Di2, 5 SPEED  **Shifting**
- SHIMANO CUES  **Brake**
- 180 / 160mm  **Rotors**
- SCALATO RUVIDO 28X2,25  **Tires**
- EXERACE LED, 100LUX, 12-48V  **Light**
- 25KG  **Weight**

A close-up photograph of a bicycle's rear hub and V-belt drive system. The bicycle frame is a light teal color. The rear wheel has a black tire and a silver disc brake rotor. A black V-belt is connected to a black hub and a black pulley on the rear axle. The chain is visible, running from the front to the rear. The background is a blurred outdoor setting. The text "New models with V-belt" is overlaid in white, bold font on the left side of the image. There are several white geometric lines (triangles and rectangles) overlaid on the image, primarily on the right and bottom right sides.


**New models with  
V-belt**

# Tertium

**LEADER FOX**




BAFANG M420, 36V/350W, 80Nm

 **Motor**


LG 36V/17,5Ah, 630Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16,5", 18", 20"

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**


DAYCO, 11mm\*1408mm

 **Belt**


SHIMANO NEXUS, 8 SPEED

 **Shifting**

RIDEREVER, 4 PISTONS, HYDRAULIC

 **Brake**

160 / 160mm

 **Rotors**


CST 29X2,0

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

28KG

 **Weight**



# Francis Lady


**LEADER FOX**




ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16,5" , 18" , 20"




SHIMANO EP600, 85Nm

 **Motor**


LG 36V/17,5Ah, 630Wh

 **Battery**


AIR, TRAVEL: 120mm

 **Frame**


DAYCO, 11mm\*1408mm

 **Fork**


SHIMANO, NEXUS, 8 SPEED

 **Belt**


SHIMANO CUES

 **Shifting**

180 / 160mm

 **Brake**


SCALATO RUVIDO 28X2,25


 **Rotors**

EXERACE LED, 100LUX, 12-48V

 **Tires**

25KG

 **Light**


 **Weight**

# City and trekking bikes



# Escalante


**LEADER FOX**



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16,5", 18", 20"

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**

DAYCO, 11mm\*1408mm

 **Belt**


SHIMANO NEXUS, 8 SPEED

 **Chainwheel**


SHIMANO CUES

 **Shifting**

160 / 160mm

 **Brake**


CST 28X1,75"

 **Rotors**

EXERACE, 50LUX, LED 6-58V

 **Tires**

28KG


 **Weight**

# Espirit Gent


**LEADER FOX**




ALUMINIUM SUPERLITE, DOUBLE BUTTED, 17,5", 19", 20,5", 22,5"

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**


SHIMANO CUES, 46-30T, ALUMINIUM CRANKS L:170 mm

 **Chainwheel**


SHIMANO CUES, 2X9 SPEED

 **Shifting**

RIDEREVER 4 PISTONS, HYDRAULIC

 **Brake**


180 / 160mm

 **Rotors**


CST SENSAMO CONTROL 700X40C

 **Tires**

EXERACE, 50LUX, LED 6-58V

 **Light**

19KG

 **Weight**

# Espirit Lady

**LEADER FOX**




ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16,5", 18", 20"	 <b>Frame</b>
AIR, TRAVEL: 120mm	 <b>Fork</b>
SHIMANO CUES, 46-30T, ALUMINIUM CRANKS, L:170 mm	 <b>Chainwheel</b>
SHIMANO CUES, 2X9 SPEED	 <b>Shifting</b>
RIDEREVER 4 PISTONS, HYDRAULIC	 <b>Brake</b>
180 / 160mm	 <b>Rotors</b>
CST SENSAMO CONTROL 700X40C	 <b>Tires</b>
EXERACE, 50LUX, LED 6-58V	 <b>Light</b>
19KG	 <b>Weight</b>

# FATbikes




# Brasa

**LEADER FOX**




PANASONIC GX ULTIMATE, 95Nm

 **Motor**


LG 36V/23,2Ah, 835Wh

 **Battery**


ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 18", 19,5", 21,5"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**


38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**


SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO DEORE, M6100

 **Brake**


180 / 203mm

 **Rotors**


MAXXIS MINION FBF/FBR 26X4,0

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

30KG

 **Weight**









# Cody



**LEADER FOX**



REAR ENGINE BAFANG, 36V / 80Nm  
LG 36V/17,4Ah, 627Wh  
ALLOY 6061", 20"  
PROWHEEL 48T, ALUMINIUM CRANKS L:170 mm  
SHIMANO CLARIS , 8 SPEED  
SHIMANO MT200  
160/ 170mm  
CST 20X4,0"  
KENDO LED, 30 LUX, 6-36V  
27KG

-  Motor
-  Battery
-  Frame
-  Fork
-  Shifting
-  Brake
-  Rotors
-  Tires
-  Light
-  Weight



# Kids bikes



# Weeny



**LEADER FOX**



SHIMANO EP500, 60Nm	 <b>Motor</b>
LG 36V/17,4 Ah, 626Wh	 <b>Battery</b>
ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 14"	 <b>Frame</b>
AIR, TRAVEL: 120mm	 <b>Fork</b>
38T, ALUMINIUM CRANKS L: 170mm	 <b>Chainwheel</b>
SHIMANO CUES, 7 SPEED	 <b>Shifting</b>
SHIMANO CUES	 <b>Brake</b>
160 / 180mm	 <b>Rotors</b>
INNOVA, 24X2,4"	 <b>Tires</b>
25KG	 <b>Weight</b>

# Factor Boy

**LEADER FOX**



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 14", 16", 18", 20"

ZOOM FORGO, TRAVEL: 80mm

PROWHEEL 36T, ALUMINIUM CRANKS L: 165 mm









S-RIDE, 9 SPEED

TEKTRO T875, HYDRAULIC 2 PISTONS

160 / 160mm

CST 26X2,10"






14KG

-  **Frame**
-  **Fork**
-  **Chainwheel**
-  **Shifting**
-  **Brake**
-  **Rotors**
-  **Tires**
-  **Weight**

# Capitan Boy

**LEADER FOX**



- ALLOY 6061, 14"  **Frame**
- SPRING TRAVEL 60mm  **Fork**
- PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm  **Chainwheel**
- S-RIDE, 2X8 SPEED  **Shifting**
- DISC MECHANICAL  **Brake**
- INNOVA, 24X2,10"  **Tires**
- 13,5KG  **Weight**

# Capitan Girl

**LEADER FOX**



- ALLOY 6061, 14"  **Frame**
- SPRING TRAVEL 60mm  **Fork**
- PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm  **Chainwheel**
- S-RIDE, 2X8 SPEED  **Shifting**
- DISC MECHANICAL  **Brake**
- INNOVA, 24X2,10"  **Tires**
- 13,5KG  **Weight**




# Keno 16"

**LEADER FOX**



CONTINENTAL L:888mm



**Belt**

ALLOY 6061



**Frame**

CONVERTER FOR BELT, ALUMINIUM CRANKS L: 105mm



**Chainwheel**

DISC MECHANICAL



**Brake**

140mm



**Rotors**

16" PM-B015



**Tires**

9KG



**Weight**



# Keno 18"

**LEADER FOX**



- CONTINENTAL L960mm  Belt
- ALLOY 6061  Rám
- CONVERTER FOR BELT, ALUMINIUM CRANKS L: 105mm  Převodník
- DISC MECHANICAL  Brzdy
- 140mm  Kotouče
- 18" PM-B015  Pláště
- 8,6KG  Hmotnost

# Fox 14"

**LEADER FOX**



- ALLOY 6061  **Frame**
- 30T, ALUMINIUM CRANKS L: 102 mm  **Chainwheel**
- DISC MECHANICAL  **Brake**
- 140mm  **Rotors**
- 14" PM-B015  **Tires**
- 9KG  **Weight**





# Fox 16"

**LEADER FOX**



ALLOY 6061  **Frame**

30T, ALUMINIUM CRANKS L: 102 mm  **Chainwheel**

DISC MECHANICAL  **Brake**

140mm  **Rotors**

16" PM-B015  **Tires**

9,8KG  **Weight**



# Fox 18"

**LEADER FOX**



- ALLOY 6061  **Frame**
- 30T, ALUMINIUM CRANKS L: 102 mm  **Chainwheel**
- DISC MECHANICAL  **Brake**
- 140mm  **Rotors**
- 18" PM-B015  **Tires**
- 9,4KG  **Weight**



# TriCycles




# Curtis

**LEADER FOX**




BAFANG FRONT ENGINE, 36V/250W, 45Nm

 **Motor**


LG 36V/17,4Ah 626Wh

 **Battery**

ALLOY 6061

 **Frame**


AIR, TRAVEL: 120mm

 **Fork**


PROWHEEL 38T, ALUMINIUM CRANK L:165 mm

 **R. shock**


SHIMANO NEXUS, 8 SPEED

 **Chainwheel**


TEKTRO T875, HYDRAULIC, 2 PISTONS

 **Shifting**

203mm

 **Brake**


INNOVA, 24X2,4"

 **Rotors**

EXERACE, 50LUX, LED 6-58V

 **Tires**

42KG


 **Weight**

# Pytes

**LEADER FOX**




BAFANG M420, 36V/350W, 80Nm

 **Motor**


LG 36V/20Ah, 720Wh

 **Battery**

ALLOY 6061

 **Frame**


AIR, TRAVEL: 100mm

 **Fork**


38T, ALUMINIUM CRANKS L: 170mm

 **R. shock**


SHIMANO NEXUS, 8 SPEED

 **Chainwheel**

TEKTRO T875, HYDRAULIC, 2 PISTONS

 **Shifting**

203 mm

 **Brake**


INNOVA, 24X2,4"

 **Rotors**

EXERACE, 100LUX, LED 12-48V

 **Tires**

42KG

 **Weight**


# Lovelo



**LEADER FOX**




BAFANG FRONT ENGINE 36V/250W, 45Nm

 **Motor**


LG 36V/17,4Ah 626Wh

 **Battery**

ALLOY 6061

 **Frame**


WITHOUT FORK

 **Fork**


PROWHEEL 38T, ALUMINIUM CRANKSL:165 mm

 **R. shock**


SHIMANO NEXUS, 3 SPEED

 **Chainwheel**


TEKTRO T875, HYDRAULIC, 2 PISTONS

 **Shifting**


160mm

 **Brake**


INNOVA, 24X2,4"

 **Rotors**

EXERACE, 50LUX, LED 6-58V

 **Tires**

42KG

 **Weight**

# CONTACTS

## BIKE SHOP

**Pavel Němec - Shop Manager**  
e-mail: [nemec@leaderfox.cz](mailto:nemec@leaderfox.cz)  
mobile: +420 725 150 302

## SALES DEPARTMENT

**Mária Vejpustková - Sales department manager**  
e-mail: [maria@leaderfox.cz](mailto:maria@leaderfox.cz)  
mobile: +420 602 360 031

## MARKETING

**Michaela Bromová - Marketing Manager**  
e-mail: [bromova@leaderfox.cz](mailto:bromova@leaderfox.cz)  
mobile: +420 722 936 542

## COMPLAINTS AND TECHNICAL DEPARTMENT

**Martin Dvořák - Claims manager**  
e-mail: [reklamace@leaderfox.cz](mailto:reklamace@leaderfox.cz)  
phone: +420 800 882 882

***THE GOOD RIDE***



Bohemia bike a.s.  
Okružní 697  
370 01, České Budějovice  
Tel.: 800 882 882  
[www.leaderfox.cz/en](http://www.leaderfox.cz/en)  
[www.e-shop.leaderfox.com](http://www.e-shop.leaderfox.com)  
Instagram: @rideleaderfox

***LEADER FOX***