

Product catalogue 2025



LEADER FOX

New electric bikes with SHIMANO motors

SHIMANO

Mountain electric bikes



Creek

LEADER FOX



SHIMANO EP600, 85Nm,

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**

FOX PERFORMACE 34 FLOAT, TRAVEL: 130mm

 **Fork**

FOX PERFORMANCE FLOAT, REAR STRUCTURE LIFT: 135mm

 **R. shock**

SHIMANO 38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, Di2, 11 SPEED

 **Shifting**

SHIMANO SLX

 **Brake**

180 / 203mm

 **Rotors**

MAXXIS RECON RACE 29x2,6"

 **Tires**

25KG

 **Weight**

Arran 27,5"

LEADER FOX



PANASONIC GX ULTIMATE, 95Nm

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16", 17,5", 19,5"

 **Frame**

MANITOU MARKHOR AIR, TRAVEL: 100mm

 **Fork**

MANITOU MARA, 190X45 AIR, REAR STRUCTURE LIFT: 135mm

 **R. shock**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 203mm

 **Rotors**

MAXXIS RECON RACE 27,5x2,6"

 **Tires**

28KG

 **Weight**

Arran 29"

LEADER FOX



PANASONIC GX ULTIMATE, 95Nm

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**

MANITOU MARKHOR AIR TRAVEL: 100mm

 **Fork**

MANITOU MARA, 190X45 AIR, REAR STRUCTURE LIFT: 135mm

 **R. shock**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 203mm

 **Rotors**

MAXXIS RECON RACE 29x2,6"

 **Tires**

28KG

 **Weight**

Axen

LEADER FOX



PANASONIC GX ULTIMATE, 95Nm

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

MANITOU MARA, 190X45 AIR, REAR STRUCTURE LIFT: 135mm

 **R. shock**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 203mm

 **Rotors**

MAXXIS RECON RACE 29x2,25"

 **Tires**

29KG

 **Weight**

Mountain bikes



Evolution 27,5"

LEADER FOX



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16", 18", 20"



Frame

SPRING, TRAVEL: 100mm



Fork

PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm



Chainwheel

SHIMANO ALTUS, 2X8 SPEED



Shifting

SHIMANO MT200



Brake

160 / 160mm



Rotors

CST 27,5X2,35"



Tires

15KG



Weight



Evolution 29"

LEADER FOX



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16", 18", 20"



Frame

SPRING, TRAVEL: 100mm



Fork

PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm



Chainwheel

SHIMANO ALTUS, 2X8 SPEED



Shifting

SHIMANO MT200



Brake

160 / 160mm



Rotors

CST 29X2,35"



Tires

15KG



Weight



City and trekking electric bikes



Grass Gent

LEADER FOX



SHIMANO EP600, 85Nm

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, Di2, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 203mm

 **Rotors**

SCALATO RUVIDO 28X2,25

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

28KG

 **Weight**

Grass Lady

LEADER FOX



SHIMANO EP600, 85Nm

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 17,5", 19,5", 21,5"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, Di2, 10 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 203mm

 **Rotors**

SCALATO RUVIDO 28X2,25

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

28KG

 **Weight**

Octavus Lady

LEADER FOX



SHIMANO EP500, 60Nm

 **Motor**

LG 36V/17,5Ah, 630Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16,5", 18", 20"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

SHIMANO, NEXUS, Di2, 5 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 160mm

 **Rotors**

SCALATO RUVIDO 28X2,25

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

25KG

 **Weight**

A close-up photograph of a bicycle's rear wheel and drivetrain. The focus is on the rear wheel, which has a black tire and a black rim. The spokes are thin and black. The rear hub is black and features a large, black, V-shaped belt drive system. The belt is made of a woven material and is connected to a black pulley on the hub. The bicycle frame is a light green color. The background is blurred, showing a paved surface and some foliage. The text "New models with V-belt" is overlaid in white, bold, sans-serif font on the left side of the image.

**New models with
V-belt**

Tertium

LEADER FOX



BAFANG M420, 36V/350W, 80Nm

 **Motor**

LG 36V/17,5Ah, 630Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16,5", 18", 20"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

DAYCO, 11mm*1408mm

 **Belt**

SHIMANO NEXUS, 8 SPEED

 **Shifting**

RIDEREVER, 4 PISTONS, HYDRAULIC

 **Brake**

160 / 160mm

 **Rotors**

CST 29X2,0

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

28KG

 **Weight**

Francis Lady

LEADER FOX



SHIMANO EP600, 85Nm

 **Motor**

LG 36V/17,5Ah, 630Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 16,5" , 18" , 20"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

DAYCO, 11mm*1408mm

 **Belt**

SHIMANO, NEXUS, 8 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

180 / 160mm

 **Rotors**

SCALATO RUVIDO 28X2,25

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

25KG

 **Weight**

City and trekking bikes



Escalante

LEADER FOX



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16,5", 18", 20"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

DAYCO, 11mm*1408mm

 **Belt**

SHIMANO NEXUS, 8 SPEED

 **Chainwheel**

SHIMANO CUES

 **Shifting**

160 / 160mm

 **Brake**

CST 28X1,75"

 **Rotors**

EXERACE, 50LUX, LED 6-58V

 **Tires**

28KG

 **Weight**

Espirit Gent

LEADER FOX



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 17,5", 19", 20,5", 22,5"



Frame

AIR, TRAVEL: 120mm



Fork

SHIMANO CUES, 46-30T, ALUMINIUM CRANKS L:170 mm



Chainwheel

SHIMANO CUES, 2X9 SPEED



Shifting

RIDEREVER 4 PISTONS, HYDRAULIC



Brake

180 / 160mm



Rotors

CST SENSAMO CONTROL 700X40C



Tires

EXERACE, 50LUX, LED 6-58V



Light

19KG



Weight

Espirit Lady

LEADER FOX



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 16,5", 18", 20"



Frame

AIR, TRAVEL: 120mm



Fork

SHIMANO CUES, 46-30T, ALUMINIUM CRANKS, L:170 mm



Chainwheel

SHIMANO CUES, 2X9 SPEED



Shifting

RIDEREVER 4 PISTONS, HYDRAULIC



Brake

180 / 160mm



Rotors

CST SENSAMO CONTROL 700X40C



Tires

EXERACE, 50LUX, LED 6-58V



Light

19KG



Weight

FATbikes



Brasa

LEADER FOX



PANASONIC GX ULTIMATE, 95Nm

 **Motor**

LG 36V/23,2Ah, 835Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 18", 19,5", 21,5"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, 10 SPEED

 **Shifting**

SHIMANO DEORE, M6100

 **Brake**

180 / 203mm

 **Rotors**

MAXXIS MINION FBF/FBR 26X4,0

 **Tires**

EXERACE LED, 100LUX, 12-48V

 **Light**

30KG

 **Weight**

Cody



LEADER FOX



REAR ENGINE BAFANG, 36V / 80Nm

 **Motor**

LG 36V/17,4Ah, 627Wh

 **Battery**

ALLOY 6061", 20"

 **Frame**

PROWHEEL 48T, ALUMINIUM CRANKS L:170 mm

 **Fork**

SHIMANO CLARIS , 8 SPEED

 **Shifting**

SHIMANO MT200

 **Brake**

160/ 170mm

 **Rotors**

CST 20X4,0"

 **Tires**

KENDO LED, 30 LUX, 6-36V

 **Light**

27KG

 **Weight**

Kids bikes



Weeny



LEADER FOX



SHIMANO EP500, 60Nm

 **Motor**

LG 36V/17,4 Ah, 626Wh

 **Battery**

ALUMINIUM SUPERLITE, GRAVITY CASTING TECHNOLOGY, 14"

 **Frame**

AIR, TRAVEL: 120mm

 **Fork**

38T, ALUMINIUM CRANKS L: 170mm

 **Chainwheel**

SHIMANO CUES, 7 SPEED

 **Shifting**

SHIMANO CUES

 **Brake**

160 / 180mm

 **Rotors**

INNOVA, 24X2,4"

 **Tires**

25KG

 **Weight**

Factor Boy

LEADER FOX



ALUMINIUM SUPERLITE, DOUBLE BUTTED, 14", 16", 18", 20"



Frame

ZOOM FORGO, TRAVEL: 80mm



Fork

PROWHEEL 36T, ALUMINIUM CRANKS L: 165 mm



Chainwheel

S-RIDE, 9 SPEED



Shifting

TEKTRO T875, HYDRAULIC 2 PISTONS



Brake

160 / 160mm



Rotors

CST 26X2,10"



Tires

14KG



Weight

Capitan Boy

LEADER FOX



ALLOY 6061, 14"



Frame

SPRING TRAVEL 60mm



Fork

PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm



Chainwheel

S-RIDE, 2X8 SPEED



Shifting

DISC MECHANICAL



Brake

INNOVA, 24X2,10"



Tires

13,5KG



Weight

Capitan Girl

LEADER FOX



ALLOY 6061, 14"



Frame

SPRING TRAVEL 60mm



Fork

PROWHEEL 36/22T, ALUMINIUM CRANKS L:170 mm



Chainwheel

S-RIDE, 2X8 SPEED



Shifting

DISC MECHANICAL



Brake

INNOVA, 24X2,10"



Tires

13,5KG



Weight



Keno 16"

LEADER FOX



CONTINENTAL L:888mm



Belt

ALLOY 6061



Frame

CONVERTER FOR BELT, ALUMINIUM CRANKS L: 105mm



Chainwheel

DISC MECHANICAL



Brake

140mm



Rotors

16" PM-B015



Tires

9KG



Weight



Keno 18"

LEADER FOX



CONTINENTAL L960mm		Belt
ALLOY 6061		Rám
CONVERTER FOR BELT, ALUMINIUM CRANKS L: 105mm		Převodník
DISC MECHANICAL		Brzdy
140mm		Kotouče
18" PM-B015		Pláště
8,6KG		Hmotnost

Fox 14"

LEADER FOX



ALLOY 6061  **Frame**

30T, ALUMINIUM CRANKS L: 102 mm  **Chainwheel**

DISC MECHANICAL  **Brake**

140mm  **Rotors**

14" PM-B015  **Tires**

9KG  **Weight**



Fox 16"

LEADER FOX



ALLOY 6061  **Frame**

30T, ALUMINIUM CRANKS L: 102 mm  **Chainwheel**

DISC MECHANICAL  **Brake**

140mm  **Rotors**

16" PM-B015  **Tires**

9,8KG  **Weight**



Fox 18"

LEADER FOX



ALLOY 6061



Frame

30T, ALUMINIUM CRANKS L: 102 mm



Chainwheel

DISC MECHANICAL



Brake

140mm



Rotors

18" PM-B015



Tires

9,4KG



Weight



TriCycles



Curtis

LEADER FOX



BAFANG FRONT ENGINE, 36V/250W, 45Nm



Motor

LG 36V/17,4Ah 626Wh



Battery

ALLOY 6061



Frame

AIR, TRAVEL: 120mm



Fork

PROWHEEL 38T, ALUMINIUM CRANK L:165 mm



R. shock

SHIMANO NEXUS, 8 SPEED



Chainwheel

TEKTRO T875, HYDRAULIC, 2 PISTONS



Shifting

203mm



Brake

INNOVA, 24X2,4"



Rotors

EXERACE, 50LUX, LED 6-58V



Tires

42KG



Weight

Pytes

LEADER FOX



BAFANG M420, 36V/350W, 80Nm

 **Motor**

LG 36V/20Ah, 720Wh

 **Battery**

ALLOY 6061

 **Frame**

AIR, TRAVEL: 100mm

 **Fork**

38T, ALUMINIUM CRANKS L: 170mm

 **R. shock**

SHIMANO NEXUS, 8 SPEED

 **Chainwheel**

TEKTRO T875, HYDRAULIC, 2 PISTONS

 **Shifting**

203 mm

 **Brake**

INNOVA, 24X2,4"

 **Rotors**

EXERACE, 100LUX, LED 12-48V

 **Tires**

42KG

 **Weight**

Lovelo

LEADER FOX



BAFANG FRONT ENGINE 36V/250W, 45Nm

 **Motor**

LG 36V/17,4Ah 626Wh

 **Battery**

ALLOY 6061

 **Frame**

WITHOUT FORK

 **Fork**

PROWHEEL 38T, ALUMINIUM CRANKSL:165 mm

 **R. shock**

SHIMANO NEXUS, 3 SPEED

 **Chainwheel**

TEKTRO T875, HYDRAULIC, 2 PISTONS

 **Shifting**

160mm

 **Brake**

INNOVA, 24X2,4"

 **Rotors**

EXERACE, 50LUX, LED 6-58V

 **Tires**

42KG

 **Weight**

CONTACTS

BIKE SHOP

Pavel Němec - Shop Manager
e-mail: nemec@leaderfox.cz
mobile: +420 725 150 302

SALES DEPARTMENT

Mária Vejpustková – Sales department manager
e-mail: maria@leaderfox.cz
mobile: +420 602 360 031

MARKETING

Michaela Bromová - Marketing Manager
e-mail: bromova@leaderfox.cz
mobile: +420 722 936 542

COMPLAINTS AND TECHNICAL DEPARTMENT

Martin Dvořák - Claims manager
e-mail: reklamace@leaderfox.cz
phone: +420 800 882 882

THE GOOD RIDE

Bohemia bike a.s.
Okružní 697
370 01, České Budějovice
Tel.: 800 882 882
www.leaderfox.cz/en
www.e-shop.leaderfox.com
Instagram: @rideleaderfox

LEADER FOX